



TECHNOLOGY INNOVATION




TIMER WATER LEVEL CONTROLLER SYSTEMS




FOR

MUNICIPAL MOTOR SYSTEMS



DRY RUN SENSOR



SS FLOATS

SPECIALTIES

The water timing motor automatically turns on when the water in the tank level to 75%

Their primary goal is to protect pumps from damage caused by operating without liquid,

Turns off the motor as soon as the tank is full 100% .

Has dry-run protection.

Bypass switch is provided



SALIENT FEATURES

Advanced Digital Technology
Auto / Manual Control
Audio / Visual indications of the status
Easy to install
SS floats for level sensing
Water level reset switch for convenience
High and Low voltage cut off
24 Months Warranty
Dry pump Sensing
Unique float Assembly
Unique Shape

RECOMMENDATIONS

Ensure proper earthing
Ensure the usage is upto 5 KW Motor
Designed to work at 50 Hz.
Ensure proper float connection.

TECHNICAL SPECIFICATIONS

Working Range: 160V to 230V (Single phase 50 Hz, AC)
Low Voltage cut-off: 180 V
High Voltage Cut-off: 230 to 250 V
DRY RUN SENSING DELAY: 1.5 MINUTES

APPLICATION

Used For: Apartments, Hospitals, Colleges, Schools, Villas, Hotels, etc.



TALK TO US



90005 34526

bluelinewatercare@gmail.com

PIPULA ROAD VIJAYAWADA

APPLICATION

**Used.For: Apartments, Hospitals, Colleges, Schools, Villas,
Hotels, etc.**