

In-Clad

Let's the designs inspire you!



### **Interior Louvers**

Presenting a new & young combination of nature and technology that is aiming to be innovative in Indian market in terms of decor. The louvers is the most fashion forward resource for wall decor, encompassing the ultimate breadth of appealing design. We offer our client a simple, quick & affordable way to change the look of a room. It enhances the look of the interior environments of homes, hotels, offices etc. Made up of ECO FRIENDLY material, the louvers will give an extra dimension to your walls and are easy to install due to its light weight. It change ordinary interior into unique individual spaces.

### Benefits and Features

- · Water proof
- · Termite proof.
- · Tough and durable.
- · Anti corrosive.
- Economical
- Light weight.
- Maintenance free.
- · Superb quality.
- No Polishing
- Have a pleasing appearance.
- · Chemical and moisture resistant.
- Easy to install







### **Technical Specification**

Width	192 mm	
Length	2900 mm	
Thickness	12 mm	
Packing per box	18 Panel	
Area per panel	6 sqft.	
Area per box	108 sqft.	







### **Technical Specification**

192 mm
2900 mm
12 mm
18 Panel
6 sqft.
108 sqft.







#### **Technical Specification**

Width	192 mm	
Length	2900 mm	
Thickness	12 mm	
Packing per box	18 Panel	
Area per panel	6 sqft.	
Area per box	108 sqft.	







### **Technical Specification**

192 mm
2900 mm
12 mm
18 Panel
6 sqft.
108 sqft.







#### **Technical Specification**

192 mm
2900 mm
12 mm
18 Panel
6 sqft.
108 sqft.







#### **Technical Specification**

192 mm
2900 mm
12 mm
18 Panel
6 sqft.
108 sqft.









#### **Technical Specification**

Width	158 mm
Length	2900 mm
Thickness	24 mm
Packing per box	14 Panel
Area per panel	4.95 sqft.
Area per box	69.3 sqft.







#### **Technical Specification**

158 mm
2900 mm
24 mm
14 Panel
4.95 sqft.
69.3 sqft.







#### **Technical Specification**

VAC -LEL-	150
Width	158 mm
Length	2900 mm
Thickness	24 mm
Packing per box	14 Panel
Area per panel	4.95 sqft.
Area per box	69.3 sqft.







### **Technical Specification**

158 mm
2900 mm
24 mm
14 Panel
4.95 sqft.
69.3 sqft.







#### **Technical Specification**

158 mm
2900 mm
24 mm
14 Panel
4.95 sqft.
69.3 sqft.





### **Technical Specification**

Width	158 mm
Length	2900 mm
Thickness	24 mm
Packing per box	14 Panel
Area per panel	4.95 sqft.
Area per box	69.3 sqft.







#### **Technical Specification**

Width	158 mm
Length	2900 mm
Thickness	24 mm
Packing per box	14 Panel
Area per panel	4.95 sqft.
Area per box	69.3 sqft.







### **Technical Specification**

158 mm
2900 mm
24 mm
14 Panel
4.95 sqft.
69.3 sqft.







#### **Technical Specification**

Width	158 mm
Length	2900 mm
Thickness	24 mm
Packing per box	14 Panel
Area per panel	4.95 sqft.
Area per box	69.3 sqft.






#### **Technical Specification**

158 mm 2900 mm 24 mm
24 mm
24 111111
14 Panel
4.95 sqft.
69.3 sqft.







### **Technical Specification**

158 mm
2900 mm
24 mm
14 Panel
4.95 sqft.
69.3 sqft.







#### **Technical Specification**

Width	158 mm
Length	2900 mm
Thickness	24 mm
Packing per box	14 Panel
Area per panel	4.95 sqft.
Area per box	69.3 sqft.







#### **Technical Specification**

Width	158 mm
Length	2900 mm
Thickness	24 mm
Packing per box	14 Panel
Area per panel	4.95 sqft.
Area per box	69.3 sqft.







#### **Technical Specification**

158 mm
2900 mm
24 mm
14 Panel
4.95 sqft.
69.3 sqft.









#### **Technical Specification**

Width	195 mm
Length	2900 mm
Thickness	28 mm
Packing per box	10 Panel
Area per panel	6.09 sqft.
Area per box	60.90 sqft.





### **Technical Specification**

Width	195 mm
Length	2900 mm
Thickness	28 mm
Packing per box	10 Panel
Area per panel	6.09 sqft.
Area per box	60.90 sqft.







#### **Technical Specification**

Width	195 mm
Length	2900 mm
Thickness	28 mm
Packing per box	10 Panel
Area per panel	6.09 sqft.
Area per box	60.90 sqft.







#### **Technical Specification**

195 mm
2900 mm
28 mm
10 Panel
6.09 sqft.
60.90 sqft.